



सत्यमेव जयते

FORM MD-9

[See sub-rule (1) rule 25]

Licence to Manufacture for Sale or for Distribution of Class C or Class D medical device

Licence Number: MFG/MD/2021/000159

1. M/s DEVON INNOVATIONS PVT LTD, 27A ELECTRONIC CITY PHASE 1 BANGALORE, Bengaluru (Bangalore) Urban, Karnataka (India) - 560100 Telephone No.: 080 28522367 FAX: 080 28522370 has been licenced to manufacture for sale or for distribution the below listed medical device(s) at the premises situated at M/s Devon Innovations Private Limited, No.27A, Near State Bank of India, Electronics city, Phase-1, Hosur road, Bangalore, Bengaluru (Bangalore) Urban, Karnataka (India) - 560100 Telephone No.: 080-28522367,368 FAX: 080-28522370

2. Details of medical device(s) [Annexed]

3. The names, qualifications and experience of the competent technical staff responsible for the manufacture and testing of the above mentioned medical device(s): As per records maintain by the manufacturer

4. This licence is subject to the provisions of the Medical Devices Rules, 2017 and conditions prescribed therein.

ANNEXURE

S.No.	Details Of Device(s)
1	Generic Name: Ureteral Indwelling Double Pigtail Stent/ Set (Short/Long Term) –with/without Hydrophilic coated(DJS)(OEO, BEO, OML OEO, OML BEO, BML BEO) Model No.:NIL Intended Use:Used for temporary internal drainage from the Ureteropelvic junction to the bladder Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):2.5F/6-32CM, 3F/6-32CM, 3.5F/6-32CM, 3.7/3.8F/6-32CM, 4F/8-32CM, 4.5F/10- 32CM, 4.7/4.8F/10-32CM, 5F/10-32CM, 5.5F/10-32CM, 6F/10-32CM, 6.5F/10-32CM, 7F/10-32CM, 7.5F/10-32CM, 8F/10-32CM, 9F/10-32CM, 10F/10-32CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON

2	Generic Name:Ureteral Indwelling single Pigtail(Mono-J) Stent/ Set - with/without Hydrophilic coated Model No.:NIL Intended Use:Used for temporary internal drainage from the Ureteropelvic junction to the bladder Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):2.5F/8-70CM, 3F/8-70CM, 3.5F/8-70CM, 3.7F/8-70CM, 4F/8-70CM, 4.5 F/10-70CM, 4.7/4.8F/10-70CM, 5F/10-70CM, 5.5F/10-70CM, 6F/10-70CM, 6.5F/10-70CM, 7F/10-70CM, 8F/10- 70CM, 9F/10-70CM, 10F/10-70CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
3	Generic Name:Biliary Stent/ Set- with/without Hydrophilic coated (BS)(BSAF,BSF,DPBS, BSHS,SPBS) Model No.:NIL Intended Use:Used to drain obstructed biliary ducts Class of medical device:Class C Material of construction:Polyurethane Dimension(if any):5F/3-15CM, 6F/3-15CM, 7F/3-15CM, 8F/3-15CM, 8.5F/3-15CM, 9F/3-15CM, 10F/3- 15CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
4	Generic Name:Biliary Pancreatic Stent/Set-with/without Hydrophilic coated(BPS) Model No.:NIL Intended Use:Used to drain obstructed biliary ducts Class of medical device:Class C Material of construction:Polyurethane Dimension(if any):5F/3-15CM, 6F/3-15CM, 7F/3-15CM, 8F/3-15CM, 9F/3-15CM, 10F/3-15CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
5	Generic Name:Ilyostomy stent with/without Hydrophilic coated(ILS) Model No.:NIL Intended Use:Used for temporary drainage of urine from the ureteropelvic junction to the external urine collection bag during the condition of more infection in bladder and urethra Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):4F/60-70CM, 5F/60-70CM, 6F/60-70CM, 7F/60-70CM, 8F/60-70CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON

6	Generic Name:Femoral Component Muller Type -STD(EMS/EMST/L/XL)-with/without HA coated Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):5.5 mm/137mm ,6.5 mm/137mm, 7.5 mm/137mm, 200mm, 250mm, 10.0 mm/141mm, 200mm, 250mm,12.5 mm/145mm, 200mm, 250mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-M
7	Generic Name:Femoral Component Charnley Type -STD(ECS/L/XL) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):101/110mm, 102/120mm, 201/130mm, 200mm, 250mm, 301/140mm, 200mm, 250mm, 401/150mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-C
8	Generic Name:Modular Bipolar Assembly With Head(EMFBL/+3.5,EMFBS/-3.5,EMFBM/0) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L and UHMWPE Dimension(if any):38 mm/+3.5,-3.5, 0, 40 mm/+3.5,-3.5, 0, 42 mm/+3.5,-3.5, 0, 44 mm/+3.5,-3.5, 0, 46 mm/+3.5,-3.5, 0, 48 mm/+3.5,-3.5, 0, 50 mm/+3.5,-3.5, 0, 52 mm/+3.5,-3.5, 0, 54 mm/+3.5,-3.5, 0, 56 mm/+3.5,-3.5, 0 and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):BIPOLAR-M
9	Generic Name:Endopro-Austin Moore(EAM) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):37mm/150mm, 39mm/150mm, 41mm/150mm 43mm/150mm, 45mm/150mm, 47mm/150mm, 49mm/150mm, 51mm/150mm, 53mm/150mm, 55mm/150mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-AM

10	Generic Name:Acetabular Cup Muller Type LPW/15 Degree LPW/STD(EMCS/EMCL/EMCLN) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:UHMWPE Dimension(if any):28/42 mm, 28/44 mm, 28/46 mm, 28/48 mm, 28/50 mm, 28/52 mm, 28/54 mm, 28/56 mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-M
11	Generic Name:Integral Bipolar For Charnley(ECIB) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L and UHMWPE Dimension(if any):38 mm, 40 mm, 42 mm, 44 mm, 46 mm, 48 mm, 50 mm, 52 mm, 54 mm, 56 mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):BIPOLAR-C
12	Generic Name:Acetabular Cup Charnley Type-LPW/STD(ECCS/ECCL) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:UHMWPE Dimension(if any):37/40, 40/44, 43/48, 46/52, 49/56 and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-C
13	Generic Name:Modular Bipolar For Muller(EMMB) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L and UHMWPE Dimension(if any):38 mm, 40 mm, 42 mm, 44 mm, 46 mm, 48 mm, 50 mm, 52 mm, 54 mm, 56 mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):BIPOLAR-M

14	Generic Name:Fixed Bipolar Prosthesis Type-Fenestrated/Non Fenestrated (EBP/EBPF/EBPT/EBPFT/EBPNTR/EBPNFTR) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L and UHMWPE Dimension(if any):37mm/150mm, 170mm, 39mm/150mm, 170mm, 41mm/150mm, 170mm, 43mm/150mm, 170mm, 45mm/160mm, 170mm, 47mm/160mm, 170mm, 49mm/160mm, 170mm, 51mm/170mm, 170mm, 53mm/170mm, 170mm, 55mm/170mm, 170mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):BIPOLAR
15	Generic Name:Collarless Stem With Centralizer(ECLS) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):Size 1/147 mm, Size 2/147 mm, Size 3/147 mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-CCS
16	Generic Name:Modular Head -Muller Type STD(EMHL/M/S/XL/XXL) Model No.:NIL Intended Use:Used in total hip arthroplasty for reduction or relief of pain and/or improved hip function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):Head long 28/+3.5, Head short 28/-3.5, Head Medium 28/0, Head +7-28/+7, Head +10- 28/+10 and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDOPRO-M

17	Generic Name:Endernails(EN) Model No.:NIL Intended Use:used for treatement of petrochanteric and subtrochanteric factures in elderly patients Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):HUMEROUS ENDERNAILES D:3.0MM 15CM, HUMEROUS ENDERNAILES D:3.0MM 16CM, HUMEROUS ENDERNAILES D:3.0MM 17CM, HUMEROUS ENDERNAILES D:3.0MM 18CM, HUMEROUS ENDERNAILES D:3.0MM 19CM, HUMEROUS ENDERNAILES D:3.0MM 20CM, HUMEROUS ENDERNAILES D:3.0MM 21CM, HUMEROUS ENDERNAILES D:3.0MM 22CM, HUMEROUS ENDERNAILES D:3.0MM 23CM, HUMEROUS ENDERNAILES D:3.0MM 24CM, HUMEROUS ENDERNAILES D:3.0MM 25CM, HUMEROUS ENDERNAILES D:3.0MM 26CM, HUMEROUS ENDERNAILES D:3.0MM 27CM, HUMEROUS ENDERNAILES D:3.0MM 28CM, HUMEROUS ENDERNAILES D:3.0MM 29CM, HUMEROUS ENDERNAILES D:3.0MM 30CM, HUMEROUS ENDERNAILES D:3.5MM 18CM, HUMEROUS ENDERNAILES D:3.5MM 19CM, HUMEROUS ENDERNAILES D:3.5MM 20CM, HUMEROUS ENDERNAILES D:3.5MM 21CM, HUMEROUS ENDERNAILES D:3.5MM 22CM, HUMEROUS ENDERNAILES D:3.5MM 23CM, HUMEROUS ENDERNAILES D:3.5MM 24CM, HUMEROUS ENDERNAILES D:3.5MM 25CM, HUMEROUS ENDERNAILES D:3.5MM 26CM, HUMEROUS ENDERNAILES D:3.5MM 27CM, HUMEROUS ENDERNAILES D:3.5MM 28CM, HUMEROUS ENDERNAILES D:3.5MM 29CM, HUMEROUS ENDERNAILES D:3.5MM 30CM, HUMEROUS ENDERNAILES D:3.5MM 31CM, HUMEROUS ENDERNAILES D:3.5MM 32CM, HUMEROUS ENDERNAILES D:3.5MM 33CM, HUMEROUS ENDERNAILES D:3.5MM 34CM, HUMEROUS ENDERNAILES D:3.5MM 35CM, HUMEROUS ENDERNAILES D:3.5MM 36CM, HUMEROUS ENDERNAILES D:3.5MM 37CM, HUMEROUS ENDERNAILES D:3.5MM 38CM, HUMEROUS ENDERNAILES D:3.5MM 39CM, HUMEROUS ENDERNAILES D:3.5MM 40CM, HUMEROUS ENDERNAILES D:3.5MM 41CM, HUMEROUS ENDERNAILES D:3.5MM 42CM, ENDERNAILES D:4.0MM 26CM, ENDERNAILES D:4.0MM 27CM, ENDERNAILES D:4.0MM 28CM, ENDERNAILES D:4.0MM 29CM, ENDERNAILES D:4.0MM 30CM, ENDERNAILES D:4.0MM 31CM, ENDERNAILES D:4.0MM 32CM, ENDERNAILES D:4.0MM 33CM, ENDERNAILES D:4.0MM 34CM, ENDERNAILES D:4.0MM 35CM, ENDERNAILES D:4.0MM 36CM, ENDERNAILES D:4.0MM 37CM, ENDERNAILES D:4.0MM 38CM, ENDERNAILES D:4.0MM 39CM, ENDERNAILES D:4.0MM 40CM, ENDERNAILES D:4.0MM 41CM, ENDERNAILES D:4.0MM 42CM, ENDERNAILES D:4.0MM 43CM, ENDERNAILES D:4.0MM 44CM, ENDERNAILES D:4.0MM 45CM, ENDERNAILES D:4.0MM 46CM, ENDERNAILES D:4.0MM 47CM, ENDERNAILES D:4.0MM 48CM, ENDERNAILES D:4.5MM 26CM, ENDERNAILES D:4.5MM 27CM, ENDERNAILES D:4.5MM 28CM, ENDERNAILES D:4.5MM 29CM, ENDERNAILES D:4.5MM 30CM, ENDERNAILES D:4.5MM 31CM, ENDERNAILES D:4.5MM 32CM, ENDERNAILES D:4.5MM 33CM, ENDERNAILES D:4.5MM 34CM, ENDERNAILES D:4.5MM 35CM, ENDERNAILES D:4.5MM 36CM, ENDERNAILES D:4.5MM 37CM, ENDERNAILES D:4.5MM 38CM, ENDERNAILES D:4.5MM 39CM, ENDERNAILES D:4.5MM 40CM, ENDERNAILES D:4.5MM 41CM, ENDERNAILES D:4.5MM 42CM, ENDERNAILES D:4.5MM 43CM, ENDERNAILES D:4.5MM 44CM, ENDERNAILES D:4.5MM 45CM, ENDERNAILES D:4.5MM 46CM, ENDERNAILES D:4.5MM 47CM, ENDERNAILES D:4.5MM 48CM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDERNAIL
----	---

18	Generic Name:Kirschner Wire(Partially/fully threaded Kirschner Wire,L-wire,Olive wire, Bayonet tip,single sided trocar)-(KW) Model No.:NIL Intended Use:Used for internal fixation of fractures of small bone fragments to their present bone Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):0.8mm/150mm, 1.0mm/150mm, 285mm,370mm, 1.25mm/150mm, 285mm, 370mm, 1.5mm/150mm, 285mm,370mm, 1.6mm/150mm, 285mm,370mm, 1.8mm/150mm, 285mm,370mm, 2.0mm/150mm, 285mm,370mm, 2.25mm/150mm, 285mm,370mm, 2.5 mm/150mm, 285mm,370mm, 3.0mm/150mm, 285mm,370mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):KIRSCHNER WIRE
19	Generic Name:Cement Restrictor(CR) Model No.:NIL Intended Use:Used for, restrict cement flow into the distal femoral shaft,during total hip replacement Class of medical device:Class C Material of construction:UHMWPE Dimension(if any):D:38MM, D:40MM and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):NIL
20	Generic Name:Steinmann pin Model No.:NIL Intended Use:The purpose of the products is the rapid and complete recovery of the damaged bone function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):3mm/175,225mm, 4mm/175,225mm and other dimensions Shelflife:5 Years Sterile or Non sterile:Sterilized Brand Name(if registered under the Trade Marks Act, 1999):NIL
21	Generic Name:Ureteral Indwelling Double Pigtail Stent/ Set (Short/Long Term) –with/without Hydrophilic coated(DJS)(OEO, BEO, OML OEO, OML BEO, BML BEO) Model No.:NIL Intended Use:Used for temporary internal drainage from the Ureteropelvic junction to the bladder Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):2.5F/6-32CM, 3F/6-32CM, 3.5F/6-32CM, 3.7/3.8F/6-32CM, 4F/8-32CM, 4.5F/10- 32CM, 4.7/4.8F/10-32CM, 5F/10-32CM, 5.5F/10-32CM, 6F/10-32CM, 6.5F/10-32CM, 7F/10-32CM, 7.5F/10-32CM, 8F/10-32CM, 9F/10-32CM, 10F/10-32CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON


22	Generic Name:Ureteral Indwelling single Pigtail(Mono-J) Stent/ Set - with/without Hydrophilic coated Model No.:NIL Intended Use:Used for temporary internal drainage from the Ureteropelvic junction to the bladder Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):2.5F/8-70CM, 3F/8-70CM, 3.5F/8-70CM, 3.7F/8-70CM, 4F/8-70CM, 4.5 F/10-70CM, 4.7/4.8F/10-70CM, 5F/10-70CM, 5.5F/10-70CM, 6F/10-70CM, 6.5F/10-70CM, 7F/10-70CM, 8F/10- 70CM, 9F/10-70CM, 10F/10-70CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
23	Generic Name:Biliary Stent/ Set- with/without Hydrophilic coated (BS)(BSAF,BSF,DPBS, BSHS,SPBS) Model No.:NIL Intended Use:Used to drain obstructed biliary ducts Class of medical device:Class C Material of construction:Polyurethane Dimension(if any):5F/3-15CM, 6F/3-15CM, 7F/3-15CM, 8F/3-15CM, 8.5F/3-15CM, 9F/3-15CM, 10F/3- 15CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
24	Generic Name:Biliary Pancreatic Stent/Set-with/without Hydrophilic coated(BPS) Model No.:NIL Intended Use:Used to drain obstructed biliary ducts Class of medical device:Class C Material of construction:Polyurethane Dimension(if any):5F/3-15CM, 6F/3-15CM, 7F/3-15CM, 8F/3-15CM, 8.5F/3-15CM, 9F/3-15CM, 10F/3- 15CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON
25	Generic Name:Ilyostomy stent with/without Hydrophilic coated(ILS) Model No.:NIL Intended Use:Used for temporary drainage of urine from the ureteropelvic junction to the external urine collection bag during the condition of more infection in bladder and urethra Class of medical device:Class C Material of construction:Polyurethane/Carbothane Dimension(if any):4F/60-70CM, 5F/60-70CM, 6F/60-70CM, 7F/60-70CM, 8F/60-70CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):DEVON

26	Generic Name:Endernails(EN) Model No.:NIL Intended Use:used for treatement of petrochanteric and subtrochanteric factures in elderly patients Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):HUMEROUS ENDERNAILES D:3.0MM 15CM, HUMEROUS ENDERNAILES D:3.0MM 16CM, HUMEROUS ENDERNAILES D:3.0MM 17CM, HUMEROUS ENDERNAILES D:3.0MM 18CM, HUMEROUS ENDERNAILES D:3.0MM 19CM, HUMEROUS ENDERNAILES D:3.0MM 20CM, HUMEROUS ENDERNAILES D:3.0MM 21CM, HUMEROUS ENDERNAILES D:3.0MM 22CM, HUMEROUS ENDERNAILES D:3.0MM 23CM, HUMEROUS ENDERNAILES D:3.0MM 24CM, HUMEROUS ENDERNAILES D:3.0MM 25CM, HUMEROUS ENDERNAILES D:3.0MM 26CM, HUMEROUS ENDERNAILES D:3.0MM 27CM, HUMEROUS ENDERNAILES D:3.0MM 28CM, HUMEROUS ENDERNAILES D:3.0MM 29CM, HUMEROUS ENDERNAILES D:3.0MM 30CM, HUMEROUS ENDERNAILES D:3.5MM 18CM, HUMEROUS ENDERNAILES D:3.5MM 19CM, HUMEROUS ENDERNAILES D:3.5MM 20CM, HUMEROUS ENDERNAILES D:3.5MM 21CM, HUMEROUS ENDERNAILES D:3.5MM 22CM, HUMEROUS ENDERNAILES D:3.5MM 23CM, HUMEROUS ENDERNAILES D:3.5MM 24CM, HUMEROUS ENDERNAILES D:3.5MM 25CM, HUMEROUS ENDERNAILES D:3.5MM 26CM, HUMEROUS ENDERNAILES D:3.5MM 27CM, HUMEROUS ENDERNAILES D:3.5MM 28CM, HUMEROUS ENDERNAILES D:3.5MM 29CM, HUMEROUS ENDERNAILES D:3.5MM 30CM, HUMEROUS ENDERNAILES D:3.5MM 31CM, HUMEROUS ENDERNAILES D:3.5MM 32CM, HUMEROUS ENDERNAILES D:3.5MM 33CM, HUMEROUS ENDERNAILES D:3.5MM 34CM, HUMEROUS ENDERNAILES D:3.5MM 35CM, HUMEROUS ENDERNAILES D:3.5MM 36CM, HUMEROUS ENDERNAILES D:3.5MM 37CM, HUMEROUS ENDERNAILES D:3.5MM 38CM, HUMEROUS ENDERNAILES D:3.5MM 39CM, HUMEROUS ENDERNAILES D:3.5MM 40CM, HUMEROUS ENDERNAILES D:3.5MM 41CM, HUMEROUS ENDERNAILES D:3.5MM 42CM, ENDERNAILES D:4.0MM 26CM, ENDERNAILES D:4.0MM 27CM, ENDERNAILES D:4.0MM 28CM, ENDERNAILES D:4.0MM 29CM, ENDERNAILES D:4.0MM 30CM, ENDERNAILES D:4.0MM 31CM, ENDERNAILES D:4.0MM 32CM, ENDERNAILES D:4.0MM 33CM, ENDERNAILES D:4.0MM 34CM, ENDERNAILES D:4.0MM 35CM, ENDERNAILES D:4.0MM 36CM, ENDERNAILES D:4.0MM 37CM, ENDERNAILES D:4.0MM 38CM, ENDERNAILES D:4.0MM 39CM, ENDERNAILES D:4.0MM 40CM, ENDERNAILES D:4.0MM 41CM, ENDERNAILES D:4.0MM 42CM, ENDERNAILES D:4.0MM 43CM, ENDERNAILES D:4.0MM 44CM, ENDERNAILES D:4.0MM 45CM, ENDERNAILES D:4.0MM 46CM, ENDERNAILES D:4.0MM 47CM, ENDERNAILES D:4.0MM 48CM, ENDERNAILES D:4.5MM 26CM, ENDERNAILES D:4.5MM 27CM, ENDERNAILES D:4.5MM 28CM, ENDERNAILES D:4.5MM 29CM, ENDERNAILES D:4.5MM 30CM, ENDERNAILES D:4.5MM 31CM, ENDERNAILES D:4.5MM 32CM, ENDERNAILES D:4.5MM 33CM, ENDERNAILES D:4.5MM 34CM, ENDERNAILES D:4.5MM 35CM, ENDERNAILES D:4.5MM 36CM, ENDERNAILES D:4.5MM 37CM, ENDERNAILES D:4.5MM 38CM, ENDERNAILES D:4.5MM 39CM, ENDERNAILES D:4.5MM 40CM, ENDERNAILES D:4.5MM 41CM, ENDERNAILES D:4.5MM 42CM, ENDERNAILES D:4.5MM 43CM, ENDERNAILES D:4.5MM 44CM, ENDERNAILES D:4.5MM 45CM, ENDERNAILES D:4.5MM 46CM, ENDERNAILES D:4.5MM 47CM, ENDERNAILES D:4.5MM 48CM and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):ENDERNAIL
----	---

27	Generic Name:Kirschner Wire(Partially/fully threaded Kirschner Wire,L-wire,Olive wire, Bayonet tip,single sided trocar)-(KW) Model No.:NIL Intended Use:Used for internal fixation of fractures of small bone fragments to their present bone Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):0.8mm/150mm, 1.0mm/150mm, 285mm,370mm, 1.25mm/150mm, 285mm, 370mm, 1.5mm/150mm, 285mm,370mm, 1.6mm/150mm, 285mm,370mm, 1.8mm/150mm, 285mm,370mm, 2.0mm/150mm, 285mm,370mm, 2.25mm/150mm, 285mm,370mm, 2.5 mm/150mm, 285mm,370mm, 3.0mm/150mm, 285mm,370mm and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):KIRSCHNER WIRE
28	Generic Name:Steinmann pin Model No.:NIL Intended Use:The purpose of the products is the rapid and complete recovery of the damaged bone function Class of medical device:Class C Material of construction:Stainless Steel 316L Dimension(if any):3mm/175,225mm, 4mm/175,225mm and other dimensions Shelflife:NIL Sterile or Non sterile:Non-Sterilized Brand Name(if registered under the Trade Marks Act, 1999):NIL

Place:

Date09-Jun-21



Central Licensing Authority